

FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8




FIG.9

9/14

	STATUS
SEWING CONDITION	A
NORMAL	1
EMBROIDERY	0

FIG. 10

	STATUS								
MATERIAL	В	С	D						
POLYESTER	1	0	0						
COTTON	0	0	0						
NYLON	1	1	0						
SILK	0	1 '	0						
RESILON	1	0	1						
WAXING	0	0	1						
-	1	1	1						
_	0	1	1						

FIG.11

10/14

THREAD	5	STATUS	5
THICKNESS	E	F	G
#20	1	0	0
#30	0	0	0
#50	1	1	0
#60	0	1	0
#90	1	0	1
-	0	0	1
_	1	1	1
	0	1	1

FIG.12

	STATUS
THREAD LENGTH	Н
1000M	1
300 M	0

FIG.13

11/14

		STATUS							
THREAD COLOR	I	J	К	L _.					
RED	1	1	1	1					
PINK	0	1	1	1					
ORANG E	1	0	1	1					
BROWN	0	0	1	1					
YELLOW	1	1	0	1					
GREEN	0	1	0	1					
BLUE	1	0	0	1					
PURPLE	0	0	0	1					
BLACK	1	1	1	0					
WHITE	0	1	1	0					
DARK BLUE	1	0	1	0					
SKY BLUE	0	0	1	0					
GRAY	1	1	0	0					
BEIGE	0	1	0	0					
-	1	0	-0	0					
-	. 0	0	0	0					

FIG.14

K)
_	
	•
Ē	_
þ	4

																											[24
<u> </u>	ы	0	0	-1	0	0	-	Н	ы	0	०	0	0		0	0	0		0		ा	ा		ન	0	••	•
	X			0	1		0	0			0	히	0	귀	귀	ᅴ	0	ᅱ	ᅴ	ᅴ	0	0	0	리	귀	••	•
	l-	귀			0	0	-1		0	1	0	7	0	0	7	귀	ᅱ	Н	디	-	리	리	0	귀		••	
	ы				0	0	0			0		귀	ᅴ	긲	7	디	0	0	리	0	ᆔ	н	0	리	-1	••	•
	H		0	0	0	0		니	-	1	П	귀	귀	0	1	Н	1	0	Н	0	ᅱ	0	Н	0	귀	••	•
STATUS	ß	0	1	0	0	7	0		0	0	0	니			1	0	0	1	0	리	н	Н	7	0	7	••	••
STA	Ŀı	0	1	0	0	0	0	니	0	1	0	-1	0	근	1	0	0	0	0	니	1	1	Н	1	1	••	••]
	迢	1	0	0	0	0	7	0	1	0	0	0	П	0	0	0	7	0	1	0	0	0	0	0	0	••	••
		1	0	0	0	-1	0	0	0	0	0	0	0	0	0	0	0	П	0	1	0	0	0	0	0	••	••
	၁	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	•	••
	В	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	•
COLORED	THREAD CODE	006	100	П	2	800	149	85	155	86	24	124	152	107	126	30	148	807	158	698	636	620	625	79	122	••	••
	THREAD COLOR	ORDINARY BLACK	 	ORDINARY WHITE	DARK WHITE	ORDINARY RED		ORDINARY PINK	<u>ي</u>	ORDINARY DEEP PINK	DARK DEEP PINK	800	DARK ROSE	ORDINARY MAGENTA	павк масеита	ORDINARY VERMILION	DARK VERMITTON	OPDINABY CRIMSON	DARK CRIMSON	ORDINARY DEEP PURPLISH RED	DARK DEEP PURPLISH RED	ORDINARY PURPLISH RED		Įξ	DARK SALMON PINK	1	• ••

RECOMMENDED RANGE	$(1 \sim 2)$	$(2 \sim 5)$	$(1 \sim 4)$	(200 ~ 300rpm)	
SEWING CONDITION SET VALUE	MAL SWING AMOUNT: <	TON FEED AMOUNT: 3	THREAD TENSION: \bigcirc 2	M SEWING SPEED: < 300 >	co co
TYPE OF NEEDLE THREAD	USAGE: NORMAL	MATERIAL: COTTON	THICKNESS: #30	LENGTH: 300M	THREAD COLOR: BLUE

FIG. 16

RECOMMENDED RANGE	(0)	(0)	$(1\sim 2)$	(100 ~ 150rpm)	
TYPE OF NEEDLE THREAD SEWING CONDITION SET VALUE	USAGE: EMBROIDERING SWING AMOUNT: 0	MATERIAL: POLYESTER FEED AMOUNT: 0	THICKNESS: #20 THREAD TENSION : < 1	LENGTH: 1000M SEWING SPEED: <	THREAD COLOR: RED
	SEWING CONDITION SET VALUE	DE OF SEWING CONDITION SET VALUE SET NEEDLE SWING AMOUNT: 0	DE OF DLE THREAD SEWING CONDITION SET VALUE EMBROIDERING SWING AMOUNT: O IAL: POLYESTER FEED AMOUNT: 0	PE OF SDLE THREAD SEWING CONDITION SET VALUE SWING AMOUNT: OTHERS: #20 THREAD TENSION:	PE OF SEWING CONDITION SET VALUE EMBROIDERING SWING AMOUNT: 0 IAL: POLYESTER FEED AMOUNT: 0 IESS: #20 THREAD TENSION: 6

FIG. 17